

# BINMASTER<sup>®</sup>

## Rotary - BMRX Series

| Type                              |  |                                   |   |   |    |   |   |      |  |                      |
|-----------------------------------|--|-----------------------------------|---|---|----|---|---|------|--|----------------------|
| <b>BMRX-100</b> Mechanical        |  |                                   |   |   |    |   |   |      |  |                      |
| <b>BMRX-200</b> Electromechanical |  |                                   |   |   |    |   |   |      |  |                      |
| <b>BMRX-300</b> Fail Safe         |  |                                   |   |   |    |   |   |      |  |                      |
| Certifications                    |  |                                   |   |   |    |   |   |      |  |                      |
| <b>X</b>                          | Ordinary locations, non-hazardous  |                                   |   |   |    |   |   |      |  |                      |
| <b>D</b>                          | CSA C/US (DIP) Class II, Groups E, F & G Hazardous Locations                         |                                   |   |   |    |   |   |      |  |                      |
| <b>A</b>                          | IECEX/ATEX Zone 20, 20/21 Hazardous Locations + CSA Class II                         |                                   |   |   |    |   |   |      |  |                      |
| <b>E</b>                          | CSA C/US (EX) Class I, Group C & D and Class II, Groups E, F & G Hazardous Locations |                                   |   |   |    |   |   |      |  |                      |
| <b>F</b>                          | IECEX/ATEX Zone 1 + CSA Class I & II   |                                   |   |   |    |   |   |      |  |                      |
| Electro Mechanical                |  |                                   |   |   |    |   |   |      |  |                      |
| <b>1</b>                          | 115 VAC  | (available on BMRX-100, BMRX-200) |   |   |    |   |   |      |  |                      |
| <b>2</b>                          | 220 VAC  | (available on BMRX-100, BMRX-200) |   |   |    |   |   |      |  |                      |
| <b>3</b>                          | 24 VAC   | (available on BMRX-100, BMRX-200) |   |   |    |   |   |      |  |                      |
| <b>4</b>                          | 24 VDC   | (available on BMRX-200, BMRX-300) |   |   |    |   |   |      |  |                      |
| <b>5</b>                          | 110-220 VAC  | (available on BMRX-300 only)      |   |   |    |   |   |      |  |                      |
| Lid                               |  |                                   |   |   |    |   |   |      |  |                      |
| <b>X</b>                          | Without Light  |                                   |   |   |    |   |   |      |  |                      |
| <b>L</b>                          | With Light (available on BMRX-300 only)  |                                   |   |   |    |   |   |      |  |                      |
| Process Connection                |  |                                   |   |   |    |   |   |      |  |                      |
| <b>AA</b>                         | 1-1/4" NPT Aluminum process connection fitting                                       |                                   |   |   |    |   |   |      |  |                      |
| <b>AB</b>                         | 1-1/2" NPT Aluminum process connection fitting                                       |                                   |   |   |    |   |   |      |  |                      |
| <b>AC</b>                         | 1-1/4" NPT Aluminum process connection fitting with internal 1.0" NPS                |                                   |   |   |    |   |   |      |  |                      |
| <b>AD</b>                         | 1-1/2" NPT Aluminum process connection fitting with internal 1.0" NPS                |                                   |   |   |    |   |   |      |  |                      |
| <b>AE</b>                         | 1-1/2" R BSPT Aluminum process connection fitting                                    |                                   |   |   |    |   |   |      |  |                      |
| <b>SA</b>                         | 1-1/4" Stainless steel process connection fitting                                    |                                   |   |   |    |   |   |      |  |                      |
| <b>SB</b>                         | 1-1/2" Stainless steel process connection fitting                                    |                                   |   |   |    |   |   |      |  |                      |
| <b>SC</b>                         | 1-1/4" Stainless steel process connection fitting with internal 1.0" NPS             |                                   |   |   |    |   |   |      |  |                      |
| <b>SD</b>                         | 1-1/2" Stainless steel process connection fitting with internal 1.0" NPS             |                                   |   |   |    |   |   |      |  |                      |
| <b>SS</b>                         | 1-1/2" Stainless steel Tri-Clover connection   |                                   |   |   |    |   |   |      |  |                      |
| <b>SF</b>                         | 1-1/4" Stainless Fertilizer process connection fitting                               |                                   |   |   |    |   |   |      |  |                      |
| <b>SG</b>                         | 1-1/2" Stainless Fertilizer process connection fitting                               |                                   |   |   |    |   |   |      |  |                      |
| Shaft Type                        |  |                                   |   |   |    |   |   |      |  |                      |
| <b>B</b>                          | Bearing End - 3/8" stainless steel shaft extension                                   |                                   |   |   |    |   |   |      |  |                      |
| <b>H</b>                          | Hanging rotary extension 5/16" 316 SS  |                                   |   |   |    |   |   |      |  |                      |
| <b>F</b>                          | Hanging rotary extension 5/16" 316 SS with FDA approved coating                      |                                   |   |   |    |   |   |      |  |                      |
| Guard Type                        |  |                                   |   |   |    |   |   |      |  |                      |
| <b>X</b>                          | None   |                                   |   |   |    |   |   |      |  |                      |
| <b>A</b>                          | inches of 1" Aluminum guard pipe   |                                   |   |   |    |   |   |      |  |                      |
| <b>S</b>                          | inches of 1" Stainless steel guard pipe  |                                   |   |   |    |   |   |      |  |                      |
| Shaft Length                      |  |                                   |   |   |    |   |   |      |  |                      |
| <b>XXX</b>                        | inches of Bearing End - 3/8" stainless steel shaft extension                         |                                   |   |   |    |   |   |      |  |                      |
| <b>XX.X</b>                       | feet of hanging rotary extension 5/16" 316 SS  |                                   |   |   |    |   |   |      |  |                      |
| <b>XX.X</b>                       | feet of hanging rotary extension 5/16" 316 SS with FDA approved plastic              |                                   |   |   |    |   |   |      |  |                      |
| Heat Tube                         |  |                                   |   |   |    |   |   |      |  |                      |
| <b>X</b>                          | None   |                                   |   |   |    |   |   |      |  |                      |
| <b>A</b>                          | 6" Aluminum heat tube  |                                   |   |   |    |   |   |      |  |                      |
| <b>B</b>                          | 6" Stainless steel heat tube   |                                   |   |   |    |   |   |      |  |                      |
| BMRX-100                          | .  | X                                 | 1 | X | AA | B | A |      |  | BMRX-100.X1XAABA000  |
| BMRX-100                          | .  | X                                 | 2 | X | AA | H | 2 | 99.5 |  | BMRX-100.X2XAAH299.5 |
| BMRX-100                          | .  | X                                 | 1 | X | AA |   |   |      |  | BMRX-100.X1XAA       |

| Preconfigured (Stock) |            |  |  |
|-----------------------|------------|--|--|
| Equiv                 | Old        |  |  |
| BMRX-200.D1XAA        | 730-0504   |  |  |
| BMRX-200.X1XAA        | 730-0504-U |  |  |
| BMRX-200.D2XAA        | 730-0503   |  |  |
| BMRX-200.X2XAA        | 730-0503-U |  |  |
| BMRX-200.D3XAA        | 730-0505   |  |  |
| BMRX-200.X3XAA        | 730-0505-U |  |  |
| BMRX-200.D4XAA        | 730-0661   |  |  |
| BMRX-200.X4XAA        | 730-0661-U |  |  |
| BMRX-300.D5LAA        | 730-0528   |  |  |
| BMRX-300.X5LAA        | 730-0528-U |  |  |
| BMRX-300.D4LAA        | 730-0662   |  |  |
| BMRX-300.X4LAA        | 730-0662-U |  |  |

| Mount Plates | Item #   | Description   |
|--------------|----------|---|
|              | 730-0020 | GRMP-1 - 0° half coupling 1.25" mounting plate        |
|              | 730-0021 | GRMP-3 - 0° SS half coupling 1.25" mounting plate     |
|              | 730-0567 | GRMP-14 - 0° half coupling 1.25" mounting plate       |
|              | 730-0298 | GRMP-6 - 0° 1.5" NPT mounting plate, half coupling    |
|              | 730-0469 | GRMP-8 - 0° 1.5" NPT 316SS mount plate, half coupling |
|              | 730-0022 | GRMP-2 - 0° full coupling 1.25" mounting plate        |
|              | 730-0023 | GRMP-4 - 0° SS full coupling 1.25" mounting plate     |
|              | 730-0489 | GRMP-9 - 10° full coupling 1.25" mounting plate       |
|              | 730-0508 | GRMP-13 - 30° full coupling 1.25" mounting plate      |
|              | 730-0568 | GRMP-15 - 0° SS full coupling 1.25" mounting plate    |
|              | 730-0663 | GRMP-16 - 20° full coupling, 1.25" mounting plate     |

| Couplings | Item #   | Description                                      |
|-----------|----------|--|
|           | 299-0004 | Solid shaft SS side mount coupler                |
|           | 416-0155 | GRFC-1 - Flexible SS top mount coupler           |
|           | 416-0283 | GRFS-1 - Neoprene, flexible SS top mount coupler |
|           | 416-0294 | BSA - Bindicator stainless steel shaft adapter   |
|           | 150-5004 | Roll pin, .125" x .75" SS                        |

| Shaft Extensions - Galvanized | Item #      | Description - BC                              |                 |      |
|-------------------------------|-------------|---|-----------------|------|
|                               | 299-0407    | 6" x 1/4" Galv. shaft extension w/ coupling   |                 |      |
|                               | 299-0408    | 12" x 1/4" Galv. shaft extension w/ coupling  |                 |      |
|                               | 299-0907    | 15" x 1/4" Galv. shaft extension w/ coupling  |                 |      |
|                               | 299-0409    | 18" x 1/4" Galv. shaft extension w/ coupling  |                 |      |
|                               | 299-0410    | 24" x 1/4" Galv. shaft extension w/ coupling  |                 |      |
|                               | 299-0682    | 30" x 1/4" Galv. shaft extension w/ coupling  |                 |      |
|                               | 299-0411    | 36" x 1/4" Galv. shaft extension w/ coupling  |                 |      |
|                               | 299-0412    | 48" x 1/4" Galv. shaft extension w/ coupling  |                 |      |
|                               | 299-0609    | 60" x 1/4" Galv. shaft extension w/ coupling  |                 |      |
|                               | 299-0610    | 63" x 1/4" Galv. shaft extension w/ coupling  |                 |      |
|                               | 299-0611    | 72" x 1/4" Galv. shaft extension w/ coupling  |                 |      |
|                               | 299-0612    | 84" x 1/4" Galv. shaft extension w/ coupling  |                 |      |
|                               | 999-1000-XX | Custom 1/4" Galv. shaft extension w/ coupling | Plus per in. \$ | 0.75 |

| Shaft Extensions - SS | Item #      | Description - BC                           |                 |      |
|-----------------------|-------------|--|-----------------|------|
|                       | 299-0413    | 6" x 1/4" SS shaft extension w/ coupling   |                 |      |
|                       | 299-0414    | 12" x 1/4" SS shaft extension w/ coupling  |                 |      |
|                       | 299-0415    | 18" x 1/4" SS shaft extension w/ coupling  |                 |      |
|                       | 299-0416    | 24" x 1/4" SS shaft extension w/ coupling  |                 |      |
|                       | 299-0735    | 30" x 1/4" SS shaft extension w/ coupling  |                 |      |
|                       | 299-0417    | 36" x 1/4" SS shaft extension w/ coupling  |                 |      |
|                       | 299-0418    | 48" x 1/4" SS shaft extension w/ coupling  |                 |      |
|                       | 299-0634    | 60" x 1/4" SS shaft extension w/ coupling  |                 |      |
|                       | 299-0636    | 72" x 1/4" SS shaft extension w/ coupling  |                 |      |
|                       | 299-0637    | 84" x 1/4" SS shaft extension w/ coupling  |                 |      |
|                       | 999-1001-XX | Custom 1/4" SS shaft extension w/ coupling | Plus per in. \$ | 1.00 |

| <b>Guard Extensions 1.25" - Galv.</b> | <b>Item #</b> | <b>Description - BC</b>                       |            |     |
|---------------------------------------|---------------|---|------------|-----|
|                                       | 299-0909      | 6" x 1-1/4" Diameter galvanized shaft guard   |            |     |
|                                       | 299-0919      | 12" x 1-1/4" Diameter galvanized shaft guard  |            |     |
|                                       | 299-0911      | 15" x 1-1/4" Diameter galvanized shaft guard  |            |     |
|                                       | 299-0681      | 18" x 1-1/4" Diameter galvanized shaft guard  |            |     |
|                                       | 299-0419      | 24" x 1-1/4" Diameter galvanized shaft guard  |            |     |
|                                       | 299-0736      | 30" x 1-1/4" Diameter galvanized shaft guard  |            |     |
|                                       | 299-0420      | 36" x 1-1/4" Diameter galvanized shaft guard  |            |     |
|                                       | 299-0421      | 48" x 1-1/4" Diameter galvanized shaft guard  |            |     |
|                                       | 299-0614      | 63" x 1-1/4" Diameter galvanized shaft guard  |            |     |
|                                       | 299-0615      | 72" x 1-1/4" Diameter galvanized shaft guard  |            |     |
|                                       | 299-0616      | 84" x 1-1/4" Diameter galvanized shaft guard  |            |     |
|                                       | 999-1002-XX   | Custom 1-1/4" Diameter galvanized shaft guard | Plus per i | 1   |
| <b>Guard Extensions 1.25" - SS</b>    | <b>Item #</b> | <b>Description - BC</b>                       |            |     |
|                                       | 299-0912      | 6" x 1-1/4" Diameter SS shaft guard           |            |     |
|                                       | 299-0913      | 12" x 1-1/4" Diameter SS shaft guard          |            |     |
|                                       | 299-0914      | 15" x 1-1/4" Diameter SS shaft guard          |            |     |
|                                       | 299-0737      | 18" x 1-1/4" Diameter SS shaft guard          |            |     |
|                                       | 299-0422      | 24" x 1-1/4" Diameter SS shaft guard          |            |     |
|                                       | 299-0738      | 30" x 1-1/4" Diameter SS shaft guard          |            |     |
|                                       | 299-0423      | 36" x 1-1/4" Diameter SS shaft guard          |            |     |
|                                       | 299-0424      | 48" x 1-1/4" Diameter SS shaft guard          |            |     |
|                                       | 299-0638      | 60" x 1-1/4" Diameter SS shaft guard          |            |     |
|                                       | 299-0640      | 72" x 1-1/4" Diameter SS shaft guard          |            |     |
|                                       | 299-0641      | 84" x 1-1/4" Diameter SS shaft guard          |            |     |
|                                       | 999-1003-XX   | Custom 1" Diameter galvanized shaft guard     | Plus per i | 2.5 |
| <b>Guard Extensions 1.0" - Galv.</b>  | <b>Item #</b> | <b>Description - BC</b>                       |            |     |
|                                       | 299-0915      | 4" x 1" Diameter galvanized shaft guard       |            |     |
|                                       | 299-0916      | 6" x 1" Diameter galvanized shaft guard       |            |     |
|                                       | 299-0917      | 8" x 1" Diameter galvanized shaft guard       |            |     |
|                                       | 299-0918      | 10" x 1" Diameter galvanized shaft guard      |            |     |
|                                       | 299-0919      | 12" x 1-1/4" Diameter galvanized shaft guard  |            |     |
|                                       | 299-0920      | 15" x 1" Diameter galvanized shaft guard      |            |     |
|                                       | 299-0921      | 18" x 1" Diameter galvanized shaft guard      |            |     |
|                                       | 299-0922      | 24" x 1" Diameter galvanized shaft guard      |            |     |
|                                       | 299-0923      | 30" x 1" Diameter galvanized shaft guard      |            |     |
|                                       | 299-0924      | 36" x 1" Diameter galvanized shaft guard      |            |     |
|                                       | 299-0925      | 48" x 1" Diameter galvanized shaft guard      |            |     |
|                                       | 299-0926      | 60" x 1" Diameter galvanized shaft guard      |            |     |
|                                       | 299-0927      | 72" x 1" Diameter galvanized shaft guard      |            |     |
|                                       | 299-0928-XX   | Custom 1" Diameter galvanized shaft guard     | Plus per i | 1   |

| <b>Guard Extensions 1.0" - SS</b> |  |                    |
|-----------------------------------|--|--------------------|
| <b>Item #</b>                     | <b>Description - BC</b>  |                    |
| 299-0760                          | 6"x 1" Diameter stainless steel shaft guard  |                    |
| 299-0761                          | 12" x 1" Diameter stainless steel shaft guard  |                    |
| 299-0762                          | 15" x 1" Diameter stainless steel shaft guard  |                    |
| 299-0763                          | 18" x 1" Diameter stainless steel shaft guard  |                    |
| 299-0764                          | 24" x 1" Diameter stainless steel shaft guard  |                    |
| 299-0765                          | 30" x 1" Diameter stainless steel shaft guard  |                    |
| 299-0766                          | 36" x 1" Diameter stainless steel shaft guard  |                    |
| 299-0767                          | 48" x 1" Diameter stainless steel shaft guard  |                    |
| 299-0768                          | 60" x 1" Diameter stainless steel shaft guard  |                    |
| 299-0769                          | 72" x 1" Diameter stainless steel shaft guard  |                    |
| 299-0770-XX                       | Custom 1" Diameter stainless steel shaft guard   | Plus per i \$ 1.75 |
| <b>Paddles</b>                    |  |                    |
| <b>Item #</b>                     | <b>Description - BC</b>  |                    |
| 416-0161                          | GRP-1 - Triple-bladed, stainless steel paddle  |                    |
| 416-0152                          | GRP-2 - Triple-bladed, stainless steel paddle  |                    |
| 416-0153                          | GRP-3 - Single blade insertable stainless steel paddle   |                    |
| 299-0009                          | GRP-11 - High strength nylon paddle  |                    |
| 299-0010                          | GRP-12 - High strength nylon paddle  |                    |
| 416-0160                          | GRP-22 - Triple-bladed, stainless steel paddle   |                    |
| 416-0154                          | GRP-23 - Single bayonet blade, SS paddle   |                    |
| 416-0259                          | GRP-24 - 12" Belt paddle   |                    |
| 416-0261                          | GRP-25 - Triple-bladed, stainless steel paddle   |                    |
| 416-0265                          | GRP-26 - Triple-bladed, stainless steel paddle   |                    |
| 416-0266                          | GRP-27 - Single bayonet blade stainless steel paddle   |                    |
| 416-0336                          | GRP-28 - Triple-bladed, stainless steel paddle   |                    |
| 416-0430                          | GRP-29 - Triple-bladed, stainless steel paddle   |                    |
| 416-0100                          | GRP-30 - Triple-bladed, stainless steel paddle   |                    |
| 416-0487                          | GRP-31 - Single-bladed, stainless steel paddle   |                    |
| 416-0513                          | GRP-34 - Folding, single-bladed, insertable paddle   |                    |
| 416-0514                          | GRP-35 - Folding, double-bladed, insertable paddle   |                    |
| 416-0556                          | GRP-36 - Threaded, folding, single-bladed paddle   |                    |
| 416-0557                          | GRP-37 - Threaded, folding, double-bladed paddle   |                    |
| <b>Accessories</b>                |  |                    |
| <b>Item #</b>                     | <b>Description - BC</b>  |                    |
| 416-0641                          | Rotary fitting to allow 1" guard pipe extensions to be adjusted for variable insertion lengths       |                    |
| 201-9010                          | 1-1/4" Galvanized NPT female coupler to attach guard pipes together                                  |                    |
| 201-9033                          | 1-1/4" Stainless steel NPT female coupler to attach guard pipes together                             |                    |
| 201-9034                          | 1" Aluminum NPT female coupler to attach guard pipes together  |                    |
| 201-9035                          | 1" Stainless steel NPT female coupler to attach guard pipes together                                 |                    |
| 201-9028                          | 1/4" Galvanized NPT female coupler to attach paddle to shaft extensions or shaft extensions together |                    |
| 201-9029                          | 1/4" SS NPT female coupler to attach paddle to shaft extensions or shaft extensions together         |                    |
| 201-9036                          | 1/4" Aluminum NPT female coupler to attach paddle to shaft extensions or shaft extensions together   |                    |
| 201-9011                          | 1/4" NPT galvanized coupling for shaft extensions (undrilled, unpinned)                              |                    |
| <b>Quick Disconnects</b>          |  |                    |
| <b>Item #</b>                     | <b>Description - BC</b>  |                    |
| 530-0871                          | M12 Eurofast male quick disconnect connection  |                    |
| 530-0872                          | 7/8" Minifast male quick disconnect connection   |                    |
| 318-0236                          | Field-wired M12 Eurofast straight fem. connector   |                    |
| 318-0237                          | Field-wired 7/8" minifast straight fem. connector  |                    |
| 398-0585                          | 4/18 AWG Yellow PVC, bulk cable, coil  |                    |

# BINMASTER®

## BMRX Parts

| Replacement Motors  | Item #     | Description   |
|---------------------|------------|---|
|                     | 350-0068   | MOTOR AC SYNC 1-RPM 120V 60Hz CCW 1W                            |
|                     | 350-0069   | MOTOR AC SYNC 0.8-RPM 220V 50Hz CCW 1W                          |
|                     | 350-0070   | MOTOR AC SYNC 1-RPM 24V 60Hz CCW 1W                             |
|                     | 350-0071   | MOTOR AC SYNC 1-RPM 6V 60Hz CCW 1W                              |
|                     | 416-0810-R | BMRX-100 115 VAC Electro-Mechanical Kit                         |
|                     | 416-0811-R | BMRX-100 220 VAC Electro-Mechanical Kit                         |
|                     | 416-0812-R | BMRX-100 24 VAC Electro-Mechanical Kit                          |
|                     | 416-0786-R | BMRX-200 115 VAC Electro-Mechanical Kit                         |
|                     | 416-0787-R | BMRX-200 230 VAC Electro-Mechanical Kit                         |
|                     | 416-0813-R | BMRX-200 24 VAC Electro-Mechanical Kit                          |
|                     | 416-0800-R | BMRX-200 24 VDC Electro-Mechanical Kit                          |
|                     | 416-0788-R | BMRX-300 90-264 VAC Electro-Mechanical Kit                      |
|                     | 416-0789-R | BMRX-300 12-24 VDC Electro-Mechanical Kit                       |
| Process Connections | Item #     | Description   |
|                     | 416-0804-R | 1-1/4" NPT Aluminum process connection, replacement             |
|                     | 416-0805-R | 1-1/2" NPT Aluminum process connection, replacement             |
|                     | 416-0808-R | 1-1/4" NPT Aluminum process connection, replacement             |
|                     | 416-0809-R | 1-1/2" NPT Aluminum process connection, replacement             |
|                     | 416-0826-R | 1-1/2" R BSPT Aluminum process connection, replacement          |
|                     | 416-0785-R | 1-1/4" Stainless steel process connection, replacement          |
|                     | 416-0803-R | 1-1/2" Stainless steel process connection, replacement          |
|                     | 416-0806-R | 1-1/4" Stainless steel process connection 1.0" NPS, replacement |
|                     | 416-0807-R | 1-1/2" Stainless steel process connection 1.0" NPS, replacement |
|                     | 416-0825-R | 1-1/2" Stainless steel Tri-Clover connection, replacement       |
|                     | 416-0817-R | 1-1/4" Stainless Fertilizer process connection, replacement     |
|                     | 416-0818-R | 1-1/2" Stainless Fertilizer process connection, replacement     |
| Misc.               | Item #     | Description   |
|                     | 110-0013   | Lid locking tab screw   |
|                     | 165-0040   | Retaining ring for process connection                           |
|                     | 203-0089   | Lid O-ring  |
|                     | 220-0480   | Lid solid, no light ring  |
|                     | 299-0679   | Lid locking tab   |
|                     | 299-0980   | Timing wheel  |
|                     | 416-0799   | Rotary clutch   |
|                     | 416-0802   | Timing wheel encoder  |
|                     | 416-0816-R | Lid with light ring assembly                                    |
|                     | 416-0831-R | PCB cover sub-assembly for the BMRX-300                         |
| Legacy              | Item #     | Description   |
|                     | 127-0001   | BMRX/MAXIMA+ screw, drive #2, u-type                            |
|                     | 150-5004   | BMRX/MAXIMA+ roll pin   |
|                     | 165-0002   | BMRX/MAXIMA+ Rotary retaining ring                              |
|                     | 175-0188   | BMRX/MAXIMA+ Rotary conduit plug                                |
|                     | 200-1004   | BMRX/MAXIMA+ Rotary bearing                                     |
|                     | 203-0077   | BMRX/MAXIMA+ silicone o-ring, .139 cord X 1.88 ID               |
|                     | 203-0080   | BMRX/MAXIMA+ housing gasket units after April 2016              |
|                     | 220-0364   | MAXIMA+ die cast aluminum cap (tall) units prior to April 2016  |
|                     | 220-0366   | BMRX die cast aluminum cap AC only units prior to April 2016    |
|                     | 220-0370   | BMRX die cast aluminum cap DC only units prior to April 2016    |
|                     | 220-0419   | BMRX die cast aluminum cap (short) units after April 2016       |
|                     | 280-0003   | BMRX/MAXIMA+ rotary mounting plate gasket                       |
|                     | 280-0068   | BMRX/MAXIMA+ rotary shaft seal                                  |
|                     | 280-0072   | BMRX housing gasket units prior to April 2016                   |
|                     | 292-0036   | BMRX/MAXIMA+ motor spring                                       |
|                     | 299-0679   | Lid locking tab   |
|                     | 335-0071   | MAXIMA+ red lens  |
|                     | 336-0017   | BMRX/MAXIMA+ conduit vent 3/4" NPT                              |

|                     |               |   |
|---------------------|---------------|---|
|                     | 350-0058      | BMRX/MAXIMA+ motor 24/30 VAC                        |
|                     | 350-0059      | BMRX motor 230 VAC                                  |
|                     | 350-0060      | BMRX/MAXIMA+ 6 VDC units after May 2014             |
|                     | 530-0179      | BMRX PCB main with limit and motor switch 115 VAC   |
|                     | 530-0183      | BMRX PCB with limit and motor switch 24 VAC         |
|                     | 530-0537      | MAXIMA+ PC board logic AC models (upper)            |
|                     | 530-0539      | PCB ASSY MAXIMA+ Power Rev A (units after Oct 2023) |
|                     | 530-0552      | MAXIMA+ photo interrupter                           |
|                     | 530-0707      | MAXIMA+ PCB main DC only                            |
|                     | 530-0791      | BMRX PCB main 12-14 VDC units after May 2014        |
| <b>Discontinued</b> | <b>Item #</b> | <b>Description</b>                                  |
|                     | 175-0182      | SCREW PLASTIC #6-19                                 |
|                     | 220-0418      | ENCL, TALL CAP W/LENS, CRUSH SEAL, PNT, REV A       |
|                     | 299-0699      | TIMING WHEEL, MAXIMA + REV B                        |
|                     | 299-0944      | TIMING WHEEL, DUAL FLATS, MAXIMA+                   |
|                     | 338-0111      | BMRX/MAXIMA+ rotary divider all AC units            |
|                     | 338-0114      | BMRX/MAXIMA+ rotary divider all DC units            |
|                     | 350-0056      | BMRX Motor Assembly 115 VAC                         |
|                     | 416-0477      | BMRX/MAXIMA+ motor mounting plate                   |
|                     | 530-0182      | PCB ASSY BMRX 230 VAC, REV. B                       |
|                     | 530-0553      | SWITCH ASSEMBLY, MAXIMA+                            |